



Commonwealth of Massachusetts
OFFICE OF CONSUMER AFFAIRS AND BUSINESS REGULATION
DIVISION OF PROFESSIONAL LICENSURE
1000 Washington St, Suite 710
Boston, Massachusetts 02118-6100
BOARD OF STATE EXAMINERS OF PLUMBERS AND GASFITTERS

November 30, 2017

David Pascual
Fiora Bath Collections S. L. U.
Carretera De Logrono, KM 23, 6
Najera (La Rioja)
, 26300

You are hereby advised that on 9/6/2017 the Board took action pursuant to your application(s) for Product acceptance for new product(s) as indicated on the attached list.

Accepted

The acceptance number(s) displayed have been granted. Please be advised, the product shall be installed in compliance with CMR 248, the Massachusetts Fuel Gas and Plumbing Code. Your initial Product acceptance is in effect for three years beginning 9/6/2017. At the expiration of the initial three year Product acceptance it will be necessary for the manufacturer to petition this Board for an extension of the three year Product acceptance. You are further advised that the preceding accepted Products are not to be construed as an endorsement of these products nor is this letter to be used or reproduced as advertisement of the products.

Tablings

If a Product acceptance was Tabled for 'insufficient receipt of (a specified) fee', forward the balance of the fee due, directly to the Board Office at the address shown above. Additionally, If this is the only reason for the Tabling decision, you will not be required to appear before the Board again.

If a Product acceptance was Tabled due to the absence of a manufacturers representative ('Failure to Appear') as required, call the Board Office at (617) 727-9952 to re-schedule an appearance before the Board. Failure to reschedule within six months of the date of this correspondence will result in the application fee being forfeited and the closing of your file.

If a Product acceptance was Tabled by the Board for other than the aforementioned reasons, you as the applicant are responsible to fulfill the requirements established by the Board. Do not contact the Board Office to re-schedule an appearance until the Board's findings have been satisfied.

If you have any questions regarding the Product acceptance decision reached by the Board, please call the Board Office at (617) 727-9952 or email the Board at cynthia.c.johnson@state.ma.us.

Very truly yours,
For the Board

Wayne E. Thomas, Executive Director
Board of State Examiners of Plumbers and Gas Fitters

<http://www.mass.gov/dpl/boards/pl/>
Forms available at <http://www.mass.gov/dpl/boards/pl/forms.htm>

Manufacturer: Fiora Bath Collections S. L. U.

Product Name	Model	Action	Acceptance Code	Expiration	Tabling Reason
Avant	SVXYYZZ	Accepted	P1-0917-97	9/6/2020	
Evolution	SEVXYYZZ	Accepted	P1-0917-97	9/6/2020	
Extraflat	SEXYYZZZ	Accepted	P1-0917-97	9/6/2020	
Linea Longitudinal	SDLXYYZZ	Accepted	P1-0917-97	9/6/2020	
Linea Transversal	SDTXYYZZ	Accepted	P1-0917-97	9/6/2020	
Quadro	SSSXYYZZ	Accepted	P1-0917-97	9/6/2020	