


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

FIORA BATH COLLECTIONS S.L.U.

CARRETERA DE LOGRONO, KM, 23'6 NAJERA, LR 26300 , SPAIN

Product:

Showers (Plastic)

Products are in compliance with the following standard(s)

CSA B45.5-17/IAPMO Z124-2017


File Number: C-10384

Effective Date: January 2019

Void After: January 2024*


Chairman, Product Certification Committee





CEO, The IAPMO Group

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: FIORA BATH COLLECTIONS S.L.U.

Effective Date: January 2019

File Number: C-10384

Product: Showers (Plastic)

Void After: January 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Plastic showers shall be marked with the manufacturer's name or registered trademark or, in the case of private labelling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation. Shower bases that use field-installed flanges shall have a non-permanent label stating "Do not install this fixture against a wall unless the appropriate flange is first installed." The product shall also bear the cC/IAPMO® triangular certification mark.


Characteristics:

Plastic shower units with or without walls manufactured integral with the shower; or as a multi-piece unit distributed as part of the shower unit. Showers intended for installation against a wall shall incorporate an integral, factory applied or field applied nailing flange in accordance with CSA B45.5-17/IAPMO Z124-2017. Showers w/o nailing flanges are listed as drop-in units only and are not to be installed against a wall. To be installed in accordance with the manufacturer's instructions.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: FIORA BATH COLLECTIONS S.L.U.

Effective Date: January 2019

File Number: C-10384

Product: Showers (Plastic)

Void After: January 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
SDLXYYZZ	Linea Longitudinal, Rectangular shower base w/ center/end drain
SDTXYYZZ	Linea Transversal, Rectangular shower base w/ center/end drain
SEVXYYZZ	Evolution, Rectangular shower base w/ center/end drain
SEXYYYZZ	Extraflat, Rectangular shower base w/ center drain
SSSXYYZZ	Quadro, Rectangular shower base w/ center drain
SVXYYYZZ	Avant, Rectangular shower base w/ center/end drain
"X"	texture
"YY" or "YYY"	length
YY	25" ~ 80"
YYY	100cm ~ 203cm
"ZZ" or "ZZZ"	width
ZZ	25", 32" ~ 42", 70cm ~ 75cm or 80cm ~ 90cm
ZZZ	75cm or 80cm ~ 110cm

Note: Shower bases that accommodate a shower compartment with an interior area of 36" x 36" for transfer-type, or 60" x 30" for roll-in-type are also in compliance with ICC/ANSI A117.1.